

10 Bibliography

- [1] J. Errera and P. Mollet, “Intermolecular Forces and O–H absorption bands in alcohols at $3\text{ }\mu\text{m}$,” *Nature* **138**, 882 (1936).
- [2] W. M. Latimer and W. H. Rodebush, “Polarity and ionization from the standpoint of the Lewis theory of valence,” *J. Am. Chem. Soc.* **42**, 1419–1433 (1920).
- [3] L. Pauling, *The Nature of the Chemical Bond* (Oxford University Press, London, 1939).
- [4] E. D. Isaacs, A. Shukla, P. M. Platzman, D. R. Hamann, B. Barbiellini, and C. A. Tulk, “Covalency of the Hydrogen Bond in Ice: A Direct X-Ray measurement,” *Phys. Rev. Lett.* **82**, 600–603 (1999).
- [5] J. D. Cruzan, L. B. Braly, K. Liu, M. G. Brown, J. G. Loeser, and R. J. Saykally, “Quantifying Hydrogen Bond Cooperativity in Water: VRT Spectroscopy of the Water Tetramer,” *Science* **271**, 59–62 (1996).
- [6] W. A. P. Luck, in *The Hydrogen Bond*, P. Schuster, G. Zundel, and C. Sandorfy, eds., (Elsevier, Amsterdam, 1976), Vol. II, Chap. 11.
- [7] A. Novak, “Hydrogen Bonding in Solids. Correlation of Spectroscopic and Crystallographic Data,” *Struct. and Bond.* **18**, 177–216 (1974).
- [8] Y. Maréchal and A. Witkowski, “Infrared Spectra of H-Bonded Systems,” *J. Chem. Phys.* **48**, 3697–3705 (1968).
- [9] J. Yarwood and G. N. Robertson, “A new method of measuring the hydrogen bond stretching frequency ν_σ of a complex in solution,” *Nature* **257**, 41–43 (1975).
- [10] Y. Bouteiller and E. Maréchal, “Etude théorique du spectre infra-rouge des complexes liés par liaison hydrogène à l'état gazeux: complexe $\text{ClH}\cdots\text{O}(\text{CH}_3)_2$, son homologue deutérié et complexes voisins,” *Mol. Phys.* **32**, 277–288 (1976).
- [11] G. N. Robertson and J. Yarwood, “Vibrational relaxation of hydrogen-bonded species in solution. I. Theory,” *Chem. Phys.* **32**, 267–282 (1978).
- [12] O. Henri-Rousseau and P. Blaise, in *Theoretical Treatments of Hydrogen Bonding*, D. Hadži, ed., (Wiley, Chichester, 1997), Chap. 8.
- [13] G. Walrafen, in *Water, A Comprehensive Treatise*, F. Franks, ed., (Plenum, New York, 1972), Vol. I, Chap. 5.
- [14] D. Hadži and S. Bratos, “Vibrational spectroscopy of the hydrogen bond,” in *The Hydrogen Bond*, P. Schuster, G. Zundel, and C. Sandorfy, eds., (Elsevier, Amsterdam, 1976), Vol. II, Chap. 12.
- [15] H. Graener, T. Q. Ye, and A. Laubereau, “Ultrafast dynamics of hydrogen bonds directly observed by time-resolved infrared spectroscopy,” *J. Chem. Phys.* **90**, 3413–3416 (1989).
- [16] H. Graener, T. Q. Ye, and A. Laubereau, “Ultrafast vibrational predissociation of hydrogen bonds: Mode selective infrared photochemistry in liquids,” *J. Chem. Phys.* **91**, 1043–1046 (1989).

- [17] G. Seifert and H. Graener, “Time-Resolved Determination of Picosecond Lifetimes of Weak Hydrogen Bonds in Liquids,” *J. Phys. Chem.* **98**, 11827–11831 (1994).
- [18] S. M. Arrivo and E. J. Heilweil, “Conservation of vibrational excitation during hydrogen-bonding reactions,” *J. Phys. Chem.* **100**, 11975–11983 (1996).
- [19] M. Bonn, H. J. Bakker, A. W. Kleyn, and R. A. van Santen, “Dynamics of Infrared Photodissociation of Methanol Clusters in Zeolites and in Solution,” *J. Phys. Chem.* **100**, 15301–15304 (1996).
- [20] R. Laenen, C. Rauscher, and A. Laubereau, “Transient hole burning in the infrared in an ethanol solution,” *J. Phys. Chem. A* **101**, 3201–3206 (1997).
- [21] R. Laenen and K. Simeonidis, “Vibrational energy migration in a hydrogen-bonded dimer probed with ultrafast time-resolved spectroscopy,” *Chem. Phys. Lett.* **292**, 631–637 (1998).
- [22] H. Graener, G. Seifert, and A. Laubereau, “New spectroscopy of water using tunable picosecond pulses in the infrared,” *Phys. Rev. Lett.* **66**, 2092–2095 (1991).
- [23] R. Laenen, C. Rauscher, and A. Laubereau, “Dynamics of local substructures in water observed by ultrafast infrared hole burning,” *Phys. Rev. Lett.* **80**, 2622–2625 (1998).
- [24] H. Graener, T. Q. Ye, and A. Laubereau, “Transient-hole burning in the infrared spectrum of a polymer with intense picosecond pulses,” *Phys. Rev. B* **41**, 2597–2600 (1990).
- [25] H. Graener, T. Lösch, and A. Laubereau, “Quasihomogeneous line broadening of a hydrogen-bonded polymer, investigated by picosecond infrared holeburning,” *J. Chem. Phys.* **93**, 5365–5369 (1990).
- [26] M. Bonn, M. J. P. Brugmans, A. W. Kleyn, R. A. van Santen, and H. J. Bakker, “Vibrational dephasing mechanisms in hydrogen-bonded systems,” *Phys. Rev. Lett.* **76**, 2440–2443 (1996).
- [27] M. Kashitani *et al.*, “Transient absorption spectra of vibrationally excited OH/OD groups in mordenite zeolites: Effects of Xe absorption,” *J. Chem. Phys.* **105**, 6665–6672 (1996).
- [28] U. Emmerichs, S. Woutersen, and H. J. Bakker, “Generation of intense femtosecond optical pulses around 3 μm with kHz rep-rate,” *J. Opt. Soc. Am. B* **14**, 1480–1483 (1997).
- [29] G. M. Gale, G. Gallot, F. Hache, and R. Sander, “Generation of intense highly coherent femtosecond pulses in the mid-infrared,” *Opt. Lett.* **22**, 1253–1255 (1997).
- [30] G. M. Gale, G. Gallot, F. Hache, and R. Sander, “Dynamics of the Hydrogen-Bond in Liquid Water,” In *Ultrafast Phenomena XI*, T. Elsaesser, J. G. Fujimoto, D. A. Wiersma, and W. Zinth, eds., pp. 574–576 (Springer, Berlin, 1998).
- [31] G. M. Gale, G. Gallot, F. Hache, N. Lascoux, S. Bratos, and J.-C. Leicknam, “Femtosecond Dynamics of Hydrogen Bonds in Liquid Water: A Real Time Study,” *Phys. Rev. Lett.* **82**, 1068–1071 (1999).
- [32] C. Chudoba, E. T. J. Nibbering, and T. Elsaesser, “Site-Specific Excited-state Solute-Solvent Interactions Probed by Femtosecond Vibrational Spectroscopy,” *Phys. Rev. Lett.* **81**, 3010–3013 (1998).

- [33] G. Stock and W. Domcke, “Detection of ultrafast molecular-excited-state dynamics with time- and frequency-resolved pump-probe spectroscopy,” *Phys. Rev. A* **45**, 3032–3039 (1992).
- [34] B. S. Wherrett, A. L. Smirl, and T. F. Boggess, “Theory of Degenerate Four-wave Mixing in Picosecond Excitation-Probe Experiments,” *IEEE J. Quantum Electron.* **19**, 680–690 (1983).
- [35] S. Mukamel, *Principles of Nonlinear Optical Spectroscopy* (Oxford University Press, Oxford, 1995).
- [36] D. Zimdars, A. Tokmakoff, S. Chen, S. R. Greenfield, and M. D. Fayer, “Picosecond Infrared Vibrational Photon Echoes in a Liquid and Glass Using a Free Electron Laser,” *Phys. Rev. Lett.* **70**, 2718–2721 (1993).
- [37] M. R. X. de Barros, R. S. Miranda, T. M. Jedju, and P. C. Becker, “High-repetition-rate femtosecond mid-infrared pulse generation,” *Opt. Lett.* **20**, 480–482 (1995).
- [38] P. C. M. Planken, E. Snoeks, L. D. Noordam, H. G. Muller, and H. B. van den Linden van den Heuvell, “Generation of intense sub-picosecond pulses in the mid-infrared,” *Opt. Commun.* **85**, 31–35 (1991).
- [39] Y. R. Shen, *The Principles of Nonlinear Optics* (Wiley, New York, 1984).
- [40] A. Laubereau, L. Greiter, and W. Kaiser, “Intense tunable picosecond pulses in the infrared,” *Appl. Phys. Lett.* **25**, 87–89 (1974).
- [41] H. J. Bakker, P. C. M. Planken, L. Kuipers, and A. Lagendijk, “Ultrafast infrared saturation spectroscopy of chloroform, bromoform, and iodoform,” *J. Chem. Phys.* **94**, 1730–1739 (1991).
- [42] E. J. Heilweil, M. P. Casassa, R. R. Cavanagh, and J. C. Stephenson, “Vibrational deactivation of surface OH chemisorbed on SiO₂: Solvent effects,” *J. Chem. Phys.* **82**, 5126–5231 (1985).
- [43] V. Petrov and F. Noack, “Tunable femtosecond optical parametric amplifier in the mid-infrared with narrow-band seeding,” *J. Opt. Soc. Am. B* **12**, 2214–2221 (1995).
- [44] V. G. Dmitriev, G. G. Gurzadyan, and D. N. Nikogosyan, *Handbook of Nonlinear Optical Crystals* (Springer, Berlin, 1986).
- [45] J. D. Bierlein and H. Vanheerzele, “Potassium titanyl phosphate: properties and new applications,” *J. Opt. Soc. Am. B* **6**, 622–633 (1989).
- [46] A. von Jena and H. E. Lessing, “Coherent Coupling Effects in Picosecond Absorption Experiments,” *Appl. Phys.* **19**, 131–144 (1979).
- [47] U. Liddel and E. Becker, “Infra-red spectroscopic studies of hydrogen bonding in methanol, ethanol and *t*-butanol,” *Spectrochim. Acta* **10**, 70–84 (1957).
- [48] A. J. Barnes and H. E. Hallam, “Infrared Cryogenic Studies. Part 5: Ethanol and Ethanol-d in Argon Matrices,” *Trans. Faraday Soc.* **66**, 1932–1940 (1970).
- [49] C. Bourderon and C. Sandorfy, “Association and assignment of the OH overtones in hydrogen bonded alcohols,” *J. Chem. Phys.* **59**, 2527–2536 (1973).
- [50] F. Huisken, A. Kulcke, C. Laush, and M. Lisy, “Dissociation of small methanol clusters after excitation of the O–H stretch vibration at 2.7 μm,” *J. Chem. Phys.* **95**, 3924–3929 (1991).
- [51] S. Coussan, N. Bakkas, A. Loutellier, J. P. Perchard, and S. Racine, “Infrared photoisomerization of the methanol cyclic trimer trapped in a nitrogen matrix,” *Chem. Phys. Lett.* **217**, 123–130 (1994).

- [52] H. Graener and T. Q. Ye, “Ulrafast Temperature Jump Studies of Hydrogen Bonds,” *J. Phys. Chem.* **93**, 5963–5965 (1989).
- [53] A. Staib and J. T. Hynes, “Vibrational predissociation in hydrogen-bonded OH···H complexes via OH stretch–OO stretch energy transfer,” *Chem. Phys. Lett.* **204**, 197–205 (1993).
- [54] P. W. Atkins, *Molecular Quantum Mechanics* (Oxford University Press, Oxford, 1992).
- [55] H. Graener, G. Seifert, and A. Laubereau, “Direct observation of rotational relaxation times by time-resolved infrared spectroscopy,” *Chem. Phys. Lett.* **172**, 435–439 (1990).
- [56] T. Förster, “Transfer mechanisms of electronic excitation,” *Discussions Faraday Soc.* **27**, 7–17 (1959).
- [57] M. Morin, P. Jakob, N. J. Levinos, Y. J. Chabal, and A. L. Harris, “Vibrational energy transfer on hydrogen-terminated vicinal Si(111) surfaces: interadsorbate energy flow,” *J. Chem. Phys.* **96**, 6203–6212 (1992).
- [58] K. S. Vahvaselka, R. Serimaa, and M. Torkkelli, “Determination of liquid structures of the primary alcohols methanol, ethanol, 1-propanol, 1-butanol and 1-octanol by X-ray-scattering,” *J. Appl. Crys.* **28**, 189–195 (1995).
- [59] *CRC Handbook of Chemistry and Physics*, 75th ed., D. R. Lide, ed., (CRC Press, Boca Raton, 1994).
- [60] J. A. Saxton, R. A. Bond, G. T. Coats, and R. M. Dickinson, “Dispersion at millimeter wavelength in methyl and ethyl alcohols,” *J. Chem. Phys.* **37**, 2132–2138 (1962).
- [61] B. M. Fung and T. W. McGaughy, “Molecular motions in liquid. I. Rotation of water and small alcohols studied by deuteron relaxation,” *J. Chem. Phys.* **65**, 2970–2976 (1976).
- [62] Z. Vardeny and J. Tauc, “Picosecond coherence coupling in the pump and probe technique,” *Opt. Commun.* **39**, 396–400 (1981).
- [63] S. L. Palfrey and T. F. Heinz, “Coherent interactions in pump-probe absorption measurements: the effect of phase gratings,” *J. Opt. Soc. Am. B* **2**, 674–679 (1985).
- [64] H. J. Eichler, P. Günter, and D. W. Pohl, *Laser-induced Dynamic Gratings* (Springer, Berlin, 1986).
- [65] R. Laenen and A. Laubereau, “Coherent propagation of subpicosecond pulses in the mid-infrared in condensed matter,” *Opt. Commun.* **101**, 43–48 (1993).
- [66] E. Gaižauskas and L. Valkūnas, “Coherent transients of pump-probe spectroscopy in two-level approximation,” *Opt. Commun.* **109**, 75–80 (1994).
- [67] R. Loudon, *The quantum theory of light*, 2nd ed. (Oxford University Press, Oxford, 1983).
- [68] R. Laenen and C. Rauscher, “Time-resolved infrared spectroscopy of ethanol monomers in liquid solution: molecular reorientation and energy relaxation times,” *Chem. Phys. Lett.* **274**, 63–70 (1997).
- [69] *The Hydrogen Bond*, P. Schuster, G. Zundel, and C. Sandorfy, eds., (Elsevier, Amsterdam, 1976).

- [70] W. T. Grubbs, T. P. Dougherty, and E. J. Heilweil, “Vibrational energy dynamics of hydrogen-bonded pyrrole complexes,” *J. Phys. Chem.* **99**, 10716–10722 (1995).
- [71] B. I. Stepanov, “Interpretation of the Regularities in the Spectra of Molecules Forming the Intermolecular Hydrogen Bond by the Predissociation effect,” *Nature* **157**, 808 (1946).
- [72] N. Sheppard, “Infrared Spectroscopy and Hydrogen Bonding – Band-widths and Frequency Shifts,” in *Hydrogen Bonding*, D. Hadži, ed., (Pergamon Press, London, 1959), pp. 85–105.
- [73] C. Sandorfy, in *Hydrogen Bonds*, P. Schuster, ed., (Springer, Berlin, 1984), Chap. 2.
- [74] L. Al-Adhami and D. J. Millen, “Band-broadening in Infra-red Spectra of Gaseous Hydrogen-bonded Complexes,” *Nature* **211**, 1291–1291 (1966).
- [75] M. A. Hussein and D. J. Millen, “Hydrogen Bonding in the Gas Phase,” *J. Chem. Soc. Faraday Trans. II* **70**, 685–692 (1974).
- [76] P. F. Barbara and W. Jarzeba, “Ultrafast Photochemical Intramolecular Charge Transfer and Excited State Solvation,” *Adv. Photochem.* **15**, 1–68 (1990).
- [77] S. Woutersen, U. Emmerichs, H.-K. Nienhuys, and H. J. Bakker, “Anomalous temperature dependence of vibrational lifetimes in water and ice,” *Phys. Rev. Lett.* **81**, 1106–1109 (1998).
- [78] S. Bratos and J.-C. Leicknam, “Subpicosecond transient infrared spectroscopy of water: A theoretical description,” *J. Chem. Phys.* **103**, 4887–4893 (1995).
- [79] S. Woutersen, U. Emmerichs, and H. J. Bakker, “A femtosecond mid-infrared pump-probe study of hydrogen-bonding in ethanol,” *J. Chem. Phys.* **107**, 1483–1490 (1997).
- [80] J. D. Worley and I. M. Klotz, “Near-Infrared Spectra of H₂O-D₂O Solutions,” *J. Chem. Phys.* **45**, 2868–2871 (1966).
- [81] T. Iijima, “Anharmonicity of the OH···O hydrogen bond in liquid water,” *Chem. Phys. Lett.* **217**, 503–506 (1994).
- [82] J. B. Hasted, S. K. Husain, F. A. M. Frescura, and J. R. Birch, “Far-infrared absorption in liquid water,” *Chem. Phys. Lett.* **118**, 622–625 (1985).
- [83] J. Barthel, K. Bachhuber, R. Buchner, and H. Hetzenauer, “Dielectric spectra of some common solvents in the microwave region. Water and the lower alcohols,” *Chem. Phys. Lett.* **165**, 369–373 (1989).
- [84] L. Thrane, R. H. Jacobsen, P. U. Jepsen, and S. R. Keiding, “THz reflection spectroscopy of liquid water,” *Chem. Phys. Lett.* **240**, 330–333 (1995).
- [85] J. T. Kindt and C. A. Schuttenmaer, “Far-infrared dielectric properties of polar liquids probed by femtosecond terahertz pulse spectroscopy,” *J. Phys. Chem.* **100**, 10373–10379 (1996).
- [86] S. Palese, L. Schilling, R. J. D. Miller, P. R. Staver, and W. T. Lotshaw, “Femtosecond optical Kerr effect studies of water,” *J. Phys. Chem.* **98**, 6308–6316 (1994).
- [87] Y. J. Chang and J. E. W. Castner, “Fast responses from “slowly relaxing” liquids: a comparative study of the femtosecond dynamics of triacetin, ethylene glycol, and water,” *J. Chem. Phys.* **99**, 7289–7299 (1993).

- [88] A. Tokmakoff, R. S. Urdahl, D. Zimdars, R. S. Francis, A. S. Kwok, and M. D. Fayer, “Vibrational spectral diffusion and population dynamics in a glass-forming liquid: Variable bandwidth picosecond infrared spectroscopy,” *J. Chem. Phys.* **102**, 3919–3931 (1995).
- [89] R. Kubo, M. Toda, and N. Hashitsume, *Statistical Physics II: Nonequilibrium Statistical Mechanics* (Springer, Berlin, 1985).
- [90] C. Rønne, L. Thrane, P.-O. Åstrand, A. Wallqvist, and K. V. M. S. Keiding, “Investigation of the temperature dependence of dielectric relaxation in liquid water by THz reflection spectroscopy and molecular dynamcis simulation,” *J. Chem. Phys.* **107**, 5319–5331 (1997).
- [91] A. Nitzan and J. Jortner, “Vibrational relaxation of a molecule in a dense medium,” *Mol. Phys.* **25**, 713–734 (1973).
- [92] S. H. Lin, “Theory of vibrational relaxation and infrared absorption in condensed media,” *J. Chem. Phys.* **65**, 1053–1062 (1975).
- [93] V. M. Kenkre, A. Tokmakoff, and M. D. Fayer, “Theory of vibrational relaxation of polyatomic molecules in liquids,” *J. Chem. Phys.* **101**, 10618–10629 (1994).
- [94] K. L. Vodopyanov, “Saturation studies of H_2O and HDO near 3400 cm^{-1} using intense picosecond laser pulses,” *J. Chem. Phys.* **94**, 5389–5393 (1991).
- [95] G. Seifert, K. Weidlich, and H. Graener, “Picosecond ir hole-burning spectroscopy on HDO ice I_h ,” *Phys. Rev. B* **56**, R14231–R14234 (1997).
- [96] M. Bonn, M. J. P. Brugmans, A. W. Kleyn, and R. A. van Santen, “Enhancement of the vibrational relaxation rate of surface hydroxyls through hydrogen bonds with adsorbates,” *Chem. Phys. Lett.* **223**, 309–314 (1995).
- [97] S. Bratos and J.-C. Leicknam, “Ultrafast infrared pump-probe spectroscopy of wa- ter: a theoretical description,” *J. Chem. Phys.* **101**, 4536–4546 (1994).
- [98] J. Chesnoy and D. Ricard, “Experimental study of vibrational relaxation in liquid hydrogen chloride,” *Chem. Phys. Lett.* **73**, 433–437 (1980).
- [99] E. J. Heilweil, M. P. Casassa, R. R. Cavanagh, and J. C. Stephenson, “Temperature dependence of the vibrational population lifetime of $\text{OH}(v = 1)$ in fused silica,” *Chem. Phys. Lett.* **117**, 185–190 (1985).
- [100] U. Happek, J. R. Engholm, and A. J. Sievers, “Frequency and temperature depen- dence of the vibrational relaxation of the SH stretch mode in As_2S_3 ,” *Chem. Phys. Lett.* **221**, 279–282 (1994).
- [101] M. J. P. Brugmans, M. Bonn, H. J. Bakker, and A. Lagendijk, “Multiphonon decay of stretch vibrations in zeolites,” *Chem. Phys.* **201**, 215–225 (1995).
- [102] M. D. Sturge, “Temperature Dependence of Multiphonon Nonradiative Decay at an Isolated Impurity Center,” *Phys. Rev. B* **8**, 6–14 (1973).
- [103] M. J. Weber, “Multiphonon Decay of Rare-Earth Ions in Yttrium Orthoaluminate,” *Phys. Rev. B* **8**, 54–64 (1973).
- [104] M. P. Miller, “Multiphonon and energy transfer relaxation in charge compensated crystals,” *J. Chem. Phys.* **71**, 324–338 (1979).
- [105] S. A. Egorov and J. L. Skinner, “On the theory of multiphonon relaxation rates in solids,” *J. Chem. Phys.* **105**, 8973–8976 (1996).

- [106] C. N. R. Rao, in *Water, A Comprehensive Treatise*, F. Franks, ed., (Plenum, New York, 1972), Vol. I, Chap. 3.
- [107] A. Tokmakoff and M. D. Fayer, “Homogeneous vibrational dynamics and inhomogeneous broadening in glass-forming liquids: Infrared photon echo experiments from room temperature to 10 K,” *J. Chem. Phys.* **103**, 2810–2826 (1995).
- [108] A. Tokmakoff, B. Sauter, and M. D. Fayer, “Temperature-dependent vibrational relaxation in polyatomic liquids: picosecond infrared pump-probe experiments,” *J. Chem. Phys.* **100**, 9035–9043 (1994).
- [109] D. J. Myers, R. S. Urdahl, B. J. Cherayil, and M. D. Fayer, “Temperature dependence of vibrational lifetimes at the critical density in supercritical mixtures,” *J. Chem. Phys.* **107**, 9741–9748 (1997).
- [110] D. J. Myers, S. Chen, M. Shigeiwa, B. J. Cherayil, and M. D. Fayer, “Temperature dependent vibrational lifetimes in supercritical fluids near the critical point,” *J. Chem. Phys.* **109**, 5971–5979 (1998).
- [111] P. Moore, A. Tokmakoff, T. Keyes, and M. D. Fayer, “The low frequency density of states and vibrational population dynamics of polyatomic molecules in liquids,” *J. Chem. Phys.* **103**, 3325–3334 (1995).
- [112] R. C. Dougherty, “Temperature and pressure dependence of hydrogen bond strength: A perturbation molecular orbital approach,” *J. Chem. Phys.* **109**, 7372–7378 (1998).
- [113] H. R. Zelmann, “Temperature dependence of the optical constants for liquid H₂O and D₂O in the far IR region,” *J. Mol. Struct.* **350**, 95–114 (1995).
- [114] K. Mizoguchi, Y. Hori, and Y. Tominaga, “Study on dynamical structure in water and heavy water by low-frequency Raman spectroscopy,” *J. Chem. Phys.* **97**, 1961–1968 (1992).
- [115] T. A. Ford and M. Falk, “Hydrogen bonding in water and ice,” *Can. J. Chem.* **46**, 3579–3586 (1968).
- [116] D. E. Hare and C. M. Sorensen, “Raman spectroscopic study of bulk water super-cooled to -33°C,” *J. Chem. Phys.* **93**, 25–33 (1990).
- [117] R. E. Miller, “The vibrational spectroscopy and dynamics of weakly bound neutral complexes,” *Science* **240**, 447–453 (1988).
- [118] R. Ghez, *A Primer of Diffusion Problems* (Wiley, New York, 1988).
- [119] E. A. Long and J. D. Kemp, “The Entropy of Deuterium Oxide and the Third Law of Thermodynamics. Heat Capacity of Deuterium Oxide from 15 to 298° K. The Melting Point and Heat of Fusion,” *J. Am. Chem. Soc.* **58**, 1829–1834 (1936).
- [120] K. Röttger, A. Endriss, J. Ihringer, S. Doyle, and W. F. Kuhs, “Lattice Constants and Thermal Expansion of H₂O and D₂O Ice Ih Between 10 and 265 K,” *Acta Cryst. B* **50**, 644–648 (1994).
- [121] R. G. Ross, P. Andersson, and G. Bäckström, “Effects of H and D order on the thermal conductivity of ice phases,” *J. Chem. Phys.* **68**, 3967–3972 (1978).
- [122] R. W. Boyd and S. Mukamel, “Origin of spectral holes in pump-probe studies of homogeneously broadened lines,” *Phys. Rev. A* **29**, 1973–1983 (1983).
- [123] C. H. Brito Cruz, J. P. Gordon, P. C. Becker, R. L. Fork, and C. V. Shank, “Dynamics of spectral hole burning,” *IEEE J. Quantum Electron.* **24**, 261–266 (1988).

- [124] H. A. Ferwerda, J. Terpstra, and D. A. Wiersma, “Discussion of a “coherent artifact” in four-wave mixing experiments,” *J. Chem. Phys.* **91**, 3296–3305 (1989).
- [125] M. Bonn, S. Woutersen, and H. J. Bakker, “Coherent picosecond vibron polaritons as probes of vibrational lifetimes,” *Opt. Commun.* **147**, 138–142 (1998).
- [126] H. R. Wyss and M. Falk, “Infrared Spectra of HDO in water and in NaCl solution,” *Can. J. Chem.* **48**, 607 (1970).
- [127] *Water, A Comprehensive Treatise*, F. Franks, ed., (Plenum, New York, 1972).
- [128] J. E. Bertie and Z. Lan, “Infrared studies of Liquids XX: The intensity of the OH stretching band of liquid water revisited, and the best current values of the optical constants of H₂O(l) at 25°C between 15,000 and 1 cm⁻¹,” *Appl. Spectrosc.* **50**, 1047–1057 (1996).
- [129] T. Iwata, J. Koshoubu, C. Jin, and Y. Okubo, “Temperature Dependence of the Mid-infrared OH Spectral Band in Liquid Water,” *Appl. Spectrosc.* **51**, 1269–1275 (1997).
- [130] R. G. Bennet, R. P. Schwenker, and R. E. Kellogg, “Radiationless intermolecular energy transfer. I. Singlet→singlet transfer,” *J. Chem. Phys.* **41**, 3037–3040 (1964).
- [131] K. B. Eisenthal, “Measurement of intermolecular energy transfer using picosecond light pulses,” *Chem. Phys. Lett.* **6**, 155–157 (1970).
- [132] D. Rehm and K. B. Eisenthal, “Intermolecular energy transfer studied with picosecond light pulses,” *Chem. Phys. Lett.* **9**, 387–389 (1971).
- [133] J. M. Drake, J. Klafter, and P. Levitz, “Chemical and biological microstructures as probed by dynamic processes,” *Science* **251**, 1574–1579 (1991).
- [134] M. P. J. Brugmans, H. J. Bakker, and A. Lagendijk, “Direct vibrational energy transfer in zeolites,” *J. Chem. Phys.* **104**, 64–84 (1996).
- [135] R. P. Hemenger and R. M. Pearlstein, “Time-dependent concentration depolarization of fluorescence,” *J. Chem. Phys.* **59**, 4064–4072 (1973).
- [136] M. Inokuti and F. Hirayama, “Influence of energy transfer by the exchange mechanism on donor luminescence,” *J. Chem. Phys.* **43**, 1978–1989 (1965).
- [137] K. B. Eisenthal and S. Siegel, “Influence of resonance transfer on luminescence decay,” *J. Chem. Phys.* **41**, 652–655 (1964).
- [138] H. Graener, G. Seifert, and A. Laubereau, “Vibrational and reorientational dynamics of water molecules in liquid matrices,” *Chem. Phys.* **175**, 193–204 (1993).
- [139] A. Szabo, “Theory of fluorescence depolarization in macromolecules and membranes,” *J. Chem. Phys.* **81**, 150–167 (1984).
- [140] R. McGraw, W. G. Madden, M. S. Bergren, and S. A. Rice, “A theoretical study of the OH stretching region of the vibrational spectrum of ice Ih,” *J. Chem. Phys.* **69**, 3483–3496 (1978).
- [141] T. Förster, “Delocalized Excitation and Excitation Transfer,” in *Modern Quantum Chemistry*, O. Sinanoğlu, ed., (Academic Press, New York, 1965), Vol. III, pp. 93–137.
- [142] M. J. Wojcik, V. Buch, and J. P. Devlin, “Spectra of isotopic ice mixtures,” *J. Chem. Phys.* **99**, 2332–2344 (1993).
- [143] D. W. Oxtoby, “Dephasing of Molecular Vibrations in Liquids,” *Adv. Chem. Phys.* **40** (1979).

- [144] D. V. Bout, L. J. Muller, and M. Berg, “Ultrafast Raman Echoes in Liquid Acetonitrile,” *Phys. Rev. Lett.* **67**, 3700–3703 (1991).
- [145] D. V. Bout, J. E. Freitas, and M. Berg, “Rapid, homogeneous vibrational dephasing in ethanol at low temperatures determined by Raman echo measurements,” *Chem. Phys. Lett.* **229**, 87–92 (1994).
- [146] C. W. Rella, A. Kwok, K. Rector, J. R. Hill, H. A. Schwettman, D. D. Dlott, and M. D. Fayer, “Vibrational Echo Studies of Protein Dynamics,” *Phys. Rev. Lett.* **77**, 1648–1651 (1996).
- [147] P. Hamm, M. Lim, and R. M. Hochstrasser, “Vibrational relaxation and dephasing of small molecules strongly interacting with water,” In *Ultrafast Phenomena XI*, T. Elsaesser, J. G. Fujimoto, D. A. Wiersma, and W. Zinth, eds., pp. 514–516 (Springer, Berlin, 1998).
- [148] A. Tokmakoff and M. D. Fayer, “Homogeneous vibrational dynamics and inhomogeneous broadening in glass-forming liquids: Infrared photon echo experiments from room temperature to 10 K,” *J. Chem. Phys.* **103**, 2810–2826 (1995).
- [149] N. Morita and T. Yajima, “Ultrahigh-time-resolution coherent transient spectroscopy with incoherent light,” *Phys. Rev. A* **30**, 2525–2536 (1984).
- [150] F. Moshary, M. Arend, R. Friedberg, and S. R. Hartmann, “Ultrafast relaxation and modulation in the oxazine dye nile blue,” *Phys. Rev. A* **46**, R33–R36 (1992).
- [151] S. Asaka, H. Nakatsuka, M. Fujiwara, and M. Matsuoka, “Accumulated photon echoes with incoherent light in Nd³⁺-doped silicate glass,” *Phys. Rev. A* **29**, 2286–2289 (1984).
- [152] R. Beach and S. R. Hartmann, “Incoherent Photon Echoes,” *Phys. Rev. Lett.* **53**, 663–666 (1984).
- [153] R. Zhang, T.-S. Yang, and A. B. Myers, “Femtosecond incoherent photon echo from rhodamine B in propylene glycol. Inhomogeneous broadening and spectral diffusion at room temperature,” *Chem. Phys. Lett.* **211**, 541–548 (1993).
- [154] H. Itoh, S. Nakanishi, M. Kawase, H. Fukuda, H. Nakatsuka, and M. Kamada, “Accumulated photon echoes generated by synchrotron radiation,” *Phys. Rev. A* **50**, 3312–3315 (1994).
- [155] H. Nakatsuka, A. Wakamiya, K. M. Abedin, and T. Hattori, “Accumulated photon echoes by using a nonlaser light source,” *Opt. Lett.* **18**, 832–834 (1993).
- [156] T. Fuji, H. Fukuda, T. Hattori, and H. Nakatsuka, “Femtosecond accumulated photon echoes excited by an incandescent lamp,” *Opt. Commun.* **130**, 104–108 (1996).
- [157] J. E. Golub and T. W. Mossberg, “Studies of picosecond collisional dephasing in atomic sodium vapor using broad-bandwidth transient four-wave mixing,” *J. Opt. Soc. Am. B* **3**, 554–559 (1986).
- [158] W. H. Hesselink and D. A. Wiersma, “Picosecond Photon Echoes Stimulated from an Accumulated Grating,” *Phys. Rev. Lett.* **43**, 1991–1994 (1979).
- [159] Y. S. Bai and M. D. Fayer, “Optical dephasing in glasses: theoretical comparison of the incoherent photon echo, accumulated grating echo, and two-pulse photon echo experiments,” *Chem. Phys.* **128**, 135–155 (1988).
- [160] A. Casado, A. Fernández-Rueda, T. Marshall, R. Riso-Delgado, and E. Santos, “Fourth-order interference in the Wigner representation for parametric down-conversion experiments,” *Phys. Rev. A* **55**, 3879–3890 (1997).

- [161] K. S. Miller, *Complex Stochastic Processes, An Introduction to Theory and Application* (Addison-Wesley, Reading, Massachusetts, 1974).
- [162] S. Asaka, H. Nakatsuka, M. Fujiwara, and M. Matsuoka, “Subpicosecond accumulated photon echo with incoherent light,” *J. Phys. Soc. Jpn.* **56**, 2007–2023 (1987).
- [163] Y. S. Bai and M. D. Fayer, “Effects of spectral diffusion in incoherent photon-echo experiments,” *Phys. Rev. B* **37**, 10440–10443 (1988).
- [164] K. Kurokawa, T. Hattori, and T. Kobayashi, “Subpicosecond molecular dynamics studied by degenerate four-wave mixing with incoherent light,” *Phys. Rev. A* **36**, 1298–1304 (1987).
- [165] M. Tomita and M. Matsuoka, “Ultrafast pump-probe measurement using intensity correlation of incoherent light,” *J. Opt. Soc. Am. B* **3**, 560–563 (1986).